



AGRICULTURE AND GARDENING





Hoes

- Manufactured with special Bellota steel.
- Forged in one single piece, unbreakable.
- 3+ steel treatment for a longer tool life: doesn't break, warp or wear away.
- Polished and sharpened for easy insertion into the ground.
- Special paint and varnish to prevent breakage of the tool.

Uses:

- To aerate, till the soil and prepare land for sowing.
- For tidying tasks around trees and vines.



Hoe 1

REF.	£	8 41 4299		g	A mm	B mm	M
1-A	11,48	100105	12	375	130	80	M1
1-B	11,82	100204	12	450	150	90	M1
1-C	13,11	100303	12	700	160	105	M4

For precision tasks.



Hoe 3

REF.	£	8 41 4299		g	A mm	B mm	M
3-A	17,13	100709	12	1.000	190	180	M4
3-B	17,99	100808	12	1.100	195	195	M4
3-C	17,00	100907	12	1.000	195	195	M4

For turning the soil, weeding, digging over.



Hoe 5

REF.	£	8 41 4299		g	A mm	B mm	M
5	22,00	101201	12	1.550	230	120	M6

For digging trenches.



Hoe 2

REF.	£	8 41 4299		g	A mm	B mm	M
2-A	15,10	100402	12	900	180	140	M4
2-B	15,31	100501	12	1.000	190	145	M4



Hoe 4

REF.	£	8 41 4299		g	A mm	B mm	M
4-A	17,47	101003	12	1.100	200	165	M4
4-B	18,46	101102	12	1.300	210	180	M4

For making ridges.



Hoe 7

REF.	£	8 41 4299		g	A mm	B mm	M
7-A	11,17	101409	12	325	135	50	M1

Small hoe for precision tasks.



Hoe 8

REF.	£	8 41 4299		g	A mm	B mm	M
8-A	12,81	101508	12	525	155	80	M3
8-B	13,55	101607	12	700	175	100	M3
8-C	15,57	101706	12	925	195	120	M3



Hoe 11

REF.	£	8 41 4299		g	A mm	B mm	M
11-A	23,08	102208	12	1.850	240	120	M6

For digging and planting.



Hoe 53

REF.	£	8 41 4299		g	A mm	B mm	M
53-A	17,60	103403	12	1.000	225	75	M4
53-B	19,07	103502	12	1.050	245	85	M4

For digging and making grooves.



Hoe 69

REF.	£	8 41 4299		g	A mm	B mm	M
69-A	21,27	104103	12	1.400	270	110	M4
69-B	23,47	104202	12	1.725	310	120	M6

Navarra pattern.



Hoe 10

REF.	£	8 41 4299		g	A mm	B mm	M
10-A	19,46	101904	12	1.250	210	145	M4



Hoe 43

REF.	£	8 41 4299		g	A mm	B mm	M
43-0	21,48	102703	12	1.300	220	165	M7
43-B	23,64	102901	12	1.400	235	185	M7

For making ridges, moving soil and draining.



Hoe 58

REF.	£	8 41 4299		g	A mm	B mm	M
58-0	18,33	103809	12	1.100	190	120	M4
58-A	21,66	103908	12	1.300	220	130	M4



Hoe 72

REF.	£	8 41 4299		g	A mm	B mm	M
72-A 1,5 L	15,70	104301	12	700	225		M3
72-B 2 L	17,00	104400	12	950	240		M3
72-C 2,5 L	18,03	104509	12	1.200	260		M4
72-D 3 L	20,19	104608	12	1.300	285		M4

Galicia pattern.



SOIL PREPARATION / **HOES**



► **Hoe 77**

REF.	£			g	A mm	B mm	M
77-D 3,5 L	23,25	105308	12	1.600	285		M4

For potatoe growing.

► **Hoe 80**

REF.	£			g	A mm	B mm	M
80-A	17,00	105704	12	950	180	160	M3
80-B	17,39	105803	12	975	180	170	M3
80-E	19,93	106008	12	1.400	200	190	M4
80-H	22,30	106206	12	1.550	230	200	M4

NEW

► **Hoe with Handle 85**

REF.	£			g	A mm	B mm	M
85-B CM 900	19,89	142754	12	1.175	165	125	M3

► **Hoe 87**

REF.	£			g	A mm	B mm	M
87-B	13,71	108408	12	1.025	180	135	M4
87-C	15,40	108507	12	1.200	200	140	M4
87-D	16,94	108606	12	1.325	220	150	M4
87-E	18,88	108705	12	1.650	230	165	M4
87-F	20,86	108804	12	1.850	255	170	M6
87-G	21,63	108903	12	2.015	270	210	M6

For asparagus growing.

► **Hoe 81**

REF.	£			g	A mm	B mm	M
81-000 1,5 L	16,22	106800	12	750	190	165	M3
81-00 2 L	17,39	106701	12	925	200	180	M3
81-0 2,5 L	18,20	106305	12	1.100	215	205	M3
81-A 3L	20,10	106404	12	1.300	230	220	M4

NEW

► **Hoe with Handle 81**

REF.	£			g	A mm	B mm	M
81-000 CM 900	21,79	512267	12	1.200	185	170	M3
81-000 CM 1200	22,95	377866	6	1.350	185	170	M3
81-0 CM 1200	24,93	555899	6	1.700	215	205	M3

► **Hoe 89**

REF.	£			g	A mm	B mm	M
89-A	14,15	109009	12	675	150	115	M3

► **Hoe 90**

REF.	£			g	A mm	B mm	M
90-B	21,57	109207	12	875	320	125	M3

Double use, for breaking and turning the soil.

► **Hoe 82**

REF.	£			g	A mm	B mm	M
82-B	14,54	107005	12	725	160	140	M3

► **Hoe 83**

REF.	£			g	A mm	B mm	M
83-A	18,12	107203	12	1.100	195	140	M4

► **Hoe 91**

REF.	£			g	A mm	B mm	M
91-A	21,22	109306	12	1.200	160	320	M3
91-B	24,89	109405	12	1.600	180	380	M3

For banana growing.

► **Hoe 95**

REF.	£			g	A mm	B mm	M
95-A	14,28	109429	12	650	170	135	M6

Marrocco model.

► **Hoe 84**

REF.	£			g	A mm	B mm	M
84-A	14,37	107500	12	650	150	130	M4
84-B	15,23	107609	12	850	160	150	M4
84-C	15,31	107708	12	825	170	140	M4
84-E	17,00	107906	12	1.000	190	160	M4

► **Hoe 85**

REF.	£			g	A mm	B mm	M
85-A	14,02	108101	12	650	155	115	M3
85-B	14,32	108200	12	725	165	125	M3
85-C	15,62	108309	12	800	175	135	M3

► **Hoe 108**


REF.	£			g	A mm	B mm	M
108-A	20,45	109504	12	1.300	220	180	M108

For asparagus growing.

► **Hoe 127**

REF.	£			g	A mm	B mm	M
127-A	18,85	109603	12	875	230	155	M127

Cataluña model.



► Hoe 150

REF.	£	8 41 4299	g	A mm	B mm	M
150-A	17,30	110203	12	935	270	M4
150-C	20,45	110401	12	1.230	300	M4

For digging trenches.



► Hoe 182

REF.	£	8 41 4299	g	A mm	B mm	M
182	11,56	110708	12	400	150	M1

For digging trenches and cleaning vine plants.



► Mattock 240

REF.	£	8 41 4299	g	A mm	B mm	M
240	22,91	112306	12	800	265	M0

Pulaski, Forestry purpose. Multiple purpose tool; cutting, scrapping and digging.



► Hoe 242

REF.	£	8 41 4299	g	A mm	B mm	M
242-0	10,22	112504	12	250	85	M8007-D/M0
242-A	11,26	112603	12	350	115	M8007-F/M1

Small model for parterre gardens.



► Weeder 228

REF.	£	8 41 4299	g	A mm	B mm	M
228-A	15,06	110906	12	450	270	M1
228-B	15,92	111101	12	550	300	M1
228-C	16,65	111200	12	650	325	M1
228-D	18,81	111309	12	750	336	M1

For gardening tasks. Dual use tool: hoe for turning the soil and fork for cleaning and taking out roots.



► Weeder with Handle 228

REF.	£	8 41 4299	g	A mm	B mm	M
228-A C.M. (900)	19,76	907216	12	900	270	M1

For gardening tasks. Dual use tool: hoe for turning the soil and fork for cleaning and taking out roots.



NEW

► Hoe with Handle 242

REF.	£	8 41 4299	g	A mm	B mm	M
242-0 CM(335)	14,88	639216	6	250	85	M8007-D/M0
242-A CM(360)	16,13	639438	6	350	115	M8007-F/M1

Small model for parterre gardens.



► Hoe 252

REF.	£	8 41 4299	g	A mm	B mm	M
252-A	16,05	112849	12	700	165	M6
252-B	17,13	112863	12	900	175	M6

Africa model.



► Weeder 229

REF.	£	8 41 4299	g	A mm	B mm	M
229-A	15,79	111408	12	525	302	M1

For gardening tasks. Dual use tool: Pick hoe for planting and fork for taking out roots.



► Weeder 230

REF.	£	8 41 4299	g	A mm	B mm	M
230-A	13,76	111606	12	475	260	M1
230-B	14,58	111804	12	525	285	M1

For gardening tasks. Dual use tool: hoe for turning the soil and tong for preparing the soil and planting.



► Hoe 263

REF.	£	8 41 4299	g	A mm	B mm	M
263-A	17,51	156928	12	920	165	M7
263-B	18,98	156935	12	1.150	195	M7
263-C	21,48	156942	12	1.380	205	M7
263-D	22,17	157321	12	1.610	215	M7



► Hoe 320

REF.	£	8 41 4299	g	A mm	B mm	M
320	21,14	113907	12	1.300	220	M4

For asparagus growing.



NEW

► Weeder with Handle 230

REF.	£	8 41 4299	g	A mm	B mm	M
230-A CM 900	17,77	518535	12	900	260	M1
230-A CM 1000	19,02	635447	2	975	260	M1
230-A CM 1200	19,63	434507	6	1075	260	M1

For gardening tasks. Dual use tool: hoe for turning the soil and tong for preparing the soil and planting.



► Weeder 232

REF.	£	8 41 4299	g	A mm	B mm	M
232-A	10,31	111903	12	300	110	M8007-F/M1
232-B	11,17	112108	12	325	120	M8007-F/M1
232-C	11,56	112207	12	350	130	M8007-F/M1

Small model for parterre gardens.



► Hoe 325


REF.	£	8 41 4299	g	A mm	B mm	M
325-800	12,61	574357	12	900	195	M4
325-1000	15,15	114140	12	1.050	210	M4
325-1200	15,36	114164	12	1.300	230	M4



NEW

► Hoe with Handle 325

REF.	£	8 41 4299	g	A mm	B mm	M
325-800 CM 1200	20,37	434507	6	1.450	195	M4



► Hoe 326

REF.	£			g	A mm	B mm	M
326	15,79	114201	12	525	150	175	M1



► Hoe 327

REF.	£			g	A mm	B mm	M
327-A	16,61	114218	12	800	175	185	M5



► Hoe 328

REF.	£			g	A mm	B mm	M
328-B	16,74	114232	12	900	210		M5

For tuber growing. Suitable for working gravel soil.



► Hoe 332

REF.	£			g	A mm	B mm	M
332-A	20,75	114249	12	1.350	185	205	M332EM

332-B	21,79	156010	12	1.450	190	240	M332EM
332-D	22,95	155099	12	1.900	240	280	M332EM

Arab Model.



► Hoe 337

REF.	£			g	A mm	B mm	M
337-A	14,45	114270	12	1.200	215	190	M4

Greek Model.



► Hoe 338

REF.	£			g	A mm	B mm	M
338-0	14,23	114287	12	1.000	200		M4

338-A	14,85	114294	12	1.150	215		M4
-------	-------	--------	----	-------	-----	--	----

Greek Model.



► Hoe 340

REF.	£			g	A mm	B mm	M
340-A	15,57	948370	12	850	183	168	M4

Greek Model.



► Hoe 343

REF.	£			g	A mm	B mm	M
343-B-30	16,74	159998	12	650	300	80	M1

Greek Model.



► Hoe 344

REF.	£			g	A mm	B mm	M
344-600	12,89	639414	6	660	305	80	M1

Multiple purpose tool: hoe, preparing the soil on the surface, weeding, fork side to take out roots and croost breakage.



► Dibber 262

REF.	£			g	A mm	B mm	M
262	23,47	113105	12	694	145	170	

For transplanting. Weeding and planting.



NEW

► Hoe with Handle 344

REF.	£			g	A mm	B mm	M
344-600 CM1000	18,27	635003	2	1100	305	80	M1

Multiple purpose tool: hoe, preparing the soil on the surface, weeding, fork side to take out roots and croost breakage.



► Dibber 322

REF.	£			g	A mm	B mm	M
322-A	18,68	114003	12	419	145		

For transplanting. Weeding and planting.



► Mattock 801

REF.	£			g	A mm	B mm	M
801-0	33,91	114300	6	2.400	395	85	M7

Dual-use tool: axe and hoe. Forestry tasks, roots cleaning and cutting.



► Mattock 805

REF.	£			g	A mm	B mm	M
805-A	31,97	114508	6	2.000	383	64	M6

Dual-use tool: axe and hoe. Forestry tasks, roots cleaning and cutting.



► Mattock 820

REF.	£			g	A mm	B mm	M
820	29,25	114706	6	1.500	390	70	M820

Dual-use tool: axe and hoe. Forestry tasks, roots cleaning and cutting.



SOIL PREPARATION

Forks

- Manufactured with special Bellota steel.
- Forged in one single piece, unbreakable.
- 3+ steel treatment for a longer tool life: doesn't break, warp or wear away.
- Polished and sharpened for easy insertion into the ground.
- Special paint and varnish to prevent breakage of the tool.

Uses:
• For aerating the soil and removing tubers.



► Fork 1001

REF.	£	8 41 4299	g	A mm	B mm	M
1001-0	19,24	115000	12	800	220	M4
1001-A	23,99	115109	12	1.250	250	M4

For soil aerating and tubers removal.



► Fork 1002

REF.	£	8 41 4299	g	A mm	B mm	M
1002-A	28,39	115208	12	1.775	255	M6

For soil aerating and tubers removal.



► Fork 1018

REF.	£	8 41 4299	g	A mm	B mm	M
1018	26,53	115505	12	1.125	270	M4


For soil aerating and tubers removal.



► Fork 1020

REF.	£	8 41 4299	g	A mm	B mm	M
1020-A	16,82	115604	12	875	210	M2

For soil aerating and tubers removal. For stony grounds.




SOIL PREPARATION

Shovels and spades

- Manufactured with special Bellota steel.
- Forged in one single piece, unbreakable.
- 3+ steel treatment for a longer tool life: doesn't break, warp or wear away.
- Polished and sharpened for easy insertion into the ground.
- Special paint and varnish to prevent breakage of the tool.
- Perfect joint between blade and handle for safety of the user.
- Varnished beech handle: light and comfortable touch. PEFC certified.

Uses:
• For transplanting, cutting and preparing the soil.
• For intensive use and stony ground soils.



► T Handle Forged Spade 5604

REF.	£	8 41 4299	g	A mm	B mm	C mm
5604-24 MM	35,94	125207	6	2.105	150	240
5604-26 MM	36,84	125603	6	2.255	160	260



► D Handle Forged Spade 5604

REF.	£	8 41 4299	g	A mm	B mm	C mm
5604-24 MA	39,52	125306	6	2.265	150	240
5604-26 MA	40,85	125702	6	2.415	160	260



► Long Handle Forged Spade 5604

REF.	£	8 41 4299	g	A mm	B mm	C mm
5604-24 ML	37,49	125405	6	2.230	150	240
5604-26 ML	38,48	125801	6	2.380	160	260



► Forged Shovel 5609

REF.	£	8 41 4299	g	A mm	B mm	C mm
5609 ML	33,04	502305	120	2.125	185	260


Forestry use: fire fighting, cutting of small branches and face shield.



Sheet shovels and spades

- Manufactured with special Bellota steel.
- 3+ steel treatment for a longer tool life: doesn't break, warp or wear away.
- Perfect joint between blade and handle for safety of the user.
- Two types of handles:
 - Varnished beech handle: light and comfortable touch. PEFC certified.
 - Hollow fiberglass handles with two grips for a better hold. Ring handle with elastomer for a better grip.
- Epoxy coating to prevent tool rust.

Uses:
• For transplanting, cutting and preparing the soil.



► T Handle Spade 5573

REF.	£			g	A mm	B mm	C mm
5573-26 MM	19,33	124804	6	1.725	160	260	955



► D Handle Spade 5573

REF.	£			g	A mm	B mm	C mm
5573-26 MA	21,57	124903	6	1.825	160	260	1.130



► Long Handle Spade 5573

REF.	£			g	A mm	B mm	C mm
5573-26 ML	19,59	125009	6	1.805	160	260	1.220



► Spade 5573

REF.	£			g	A mm	B mm
5573-26 SM	13,29	155198	12	1.125	160	260



► Long Fiberglass Handle Pointed Shovel 3100

REF.	£			g	A mm	B mm	C mm
3100MFV	20,02	533866	6	1.900	220	275	1.450

Ideal curved shape for digging out soil. Rugged design for easy soil penetration.



► Long Fiberglass Handle Spade 3101

REF.	£	8 41 4299		g	A mm	B mm	C mm
3101MFV	20,02	533880	6	1.980	195	300	1.500

For transplanting, ground cutting and outlining. Rugged design for easy soil penetration.



► D Fiberglass Handle Pointed Shovel 3103

REF.	£			g	A mm	B mm	C mm
3103 MFVA	15,31	550726	6	2.010	230	300	1.250

For digging and transplanting. Rugged design for easy soil penetration.



► D Fiberglass Handle Square Shovel 3104

REF.	£			g	A mm	B mm	C mm
3104 MFVA	16,52	550740	6	2.140	240	295	1.230

For soil and manure transfer. Rugged design for easy soil penetration.



► Multipurpose Shovel 5526

REF.	£	8 41 4299		g	A mm	B mm	C mm
5526	7,07	371819	6	940	150	210	693


For digging and soil, sand and snow transfer. Light, practical and easy to use.



► Hole Digger 920

REF.	£			g	A mm	B mm	C mm
920	18,59	183788	4	2.980	129	287	1.420

For root ball tree planting or posts installing.




SOIL PREPARATION

Aluminium shovels

- Highest quality aluminium shovels: Lightweight and easy to clean.
- Great elasticity, bending resistance.
- Very strong, riveted holder ensuring the perfect joint between blade and handle.
- Varnished beech handle: light and comfortable touch. PEFC certified.

Uses:

- For collecting snow, soil, etc.
- For special use in the food industry.



► D Handle Aluminium Shovel 5520

REF.	£	8 41 4299	g	A mm	B mm	C mm
5520 MA	28,99	503296	6	1.800	1.300	415



► Long Handle Aluminium Shovel 5520

REF.	£	8 41 4299	g	A mm	B mm	C mm
5520 ML	30,15	503104	6	2.000	1.620	415



► D Handle Aluminium Shovel 5522

REF.	£	8 41 4299	g	A mm	B mm	C mm
5522 MA	24,50	103182	6	1.500	1.200	395



► Aluminium Shovel 5522

REF.	£	8 41 4299	g	A mm	B mm	C mm
5522 SM	16,48	674132	50	760	395	325



► D Handle Aluminium Shovel 5525

REF.	£	8 41 4299	g	A mm	B mm	C mm
5525 MA	20,32	336696	6	970	940	300




SOIL PREPARATION

Forks

- Manufactured with special Bellota steel.
- Forged in one single piece, unbreakable.
- 3+ steel treatment for a longer tool life: doesn't break, warp or wear away.
- Sharpened and tempered prongs along its entire length.
- Special paint to prevent breakage of the tool.
- Ash handles, light and comfortable touch. PEFC certified.

Uses:

- For moving hay and manure.
- For moving bales.



► Manure Fork 901-2

REF.	£	8 41 4299	g	A mm	B mm
901-2	10,12	156119	12	470	300


For burden handling.



► Manure Fork 901-3

REF.	£	8 41 4299	g	A mm	B mm
901-3	11,92	156126	12	600	320

For hay and manure collecting. For burden handling.



► Manure Fork 901-3A

REF.	£	8 41 4299	g	A mm	B mm
901-3A	15,91	156133	12	750	410

For hay and manure collecting. For burden handling. Extra working width.



► Manure Fork 901-3B

REF.	£	8 41 4299	g	A mm	B mm
901-3B	20,68	156140	6	950	410

Additional prong for easy furden collection.



► Manure Fork 901-4

REF.	£	8 41 4299	g	A mm	B mm
901-4	12,54	156157	12	800	320


For hay and manure collecting.



► Manure Fork 901-5

REF.	£	8 41 4299	g	A mm	B mm
901-5	14,96	156201	12	1.080	340

For hay and manure collecting.



► **Manure Fork 901-6**

REF.	£			g	A mm	B mm
901-6	19,91	156218	12	1.350	350	310

For hay and manure collecting.



► **Manure Fork with D Handle 902-4**

REF.	£			g	A mm	B mm	C mm
902-4 MA	29,00	156164	6	1.510	320	210	1.200

For hay and manure collecting.



► **Fork Stone and Gravel 904-6**

REF.	£			g	A mm	B mm
904-6	28,64	156256	12	1.450	360	310

For stone and gravel.



► **D Handle Fork Stone and Gravel 905-9**

REF.	£			g	A mm	B mm	C mm
905-9 MA	52,44	156195	6	2.290	350	260	1.220

For stone and gravel.



► **Manure Fork with D Handle 902-5**

REF.	£			g	A mm	B mm	C mm
902-5 MA	33,77	156171	6	1.720	340	270	1.240

For hay and manure collecting.



► **Manure Fork with D Handle 902-6**

REF.	£			g	A mm	B mm	C mm
902-6 MA	36,60	156188	6	2.000	350	310	1.250

For hay and manure collecting. For light material transferring.



► **D Handle Garden Fork 911-4**

REF.	£			g	A mm	B mm	C mm
911-4 MA	29,63	156270	6	2.950	270	190	1.170

For turning the soil, taking out crops, areating and breaking up compact soils.

NEW



► **Garden Fork - T Handle 911-4**

REF.	£			g	A mm	B mm	C mm
911-4 MM	27,45	639131	4	2.950	270	190	1.170

For turning the soil, taking out crops, areating and breaking up compact soils.



► **Hay Rake 903-3**

REF.	£			g	A mm	B mm
903-3	12,98	156225	12	610	210	190

For burden ripper.



► **Hay Rake 903-4**

REF.	£			g	A mm	B mm
903-4	13,60	156287	12	780	210	210


For burden ripper.



► **Hay Rake 903-5**

REF.	£			g	A mm	B mm
903-5	16,54	156232	12	950	210	240

For burden ripper.



► **Hay Rake 903-6**

REF.	£			g	A mm	B mm
903-6	19,73	156249	12	1.000	210	260

For burden ripper.



► **Garden Fork 910-4**

REF.	£			g	A mm	B mm
910-4	19,51	156263	12	1.250	270	190

For turning the soil, taking out crops, areating and breaking up compact soils.



► **Fork Stone and Gravel 912-3**


REF.	£			g	A mm	B mm
912-3	29,99	102925	12	1.650	310	190



► **ECO Fork 914-5 ECO**

REF.	£			g	A mm	B mm
914-5-ECO	57,40	633184	12	4150	318	94

For breaking up and areate soil without turning it out, in order to preserve microbiological layers of the topsoil. This allows to respect microorganism benefits which turn organic matter into natural fertilizer. To use in worked and broke ground.




Rakes

- Manufactured with special Bellota steel.
- Three heads adapted to different intensities of work.
 - High intensity: steel head with temper 3+ for a longer tool life: doesn't break, warp or wear away.
 - Medium intensity: steel head with robust design: high resistance.
 - Domestic use: steel head reduced dimensions, lighter for easy handling.
- Two types of handles:
 - Varnished wooden handles, light and comfortable touch. FCS certified.
 - Hollow fiberglass handles with two grips for a better hold.

Uses:

- For clearing, levelling and preparing soil and covering seeds.



► High Intensity Rake 950

REF.	£			g	A mm	B mm
950-12	7,64	157819	12	565	318	94
950-14	8,15	157802	12	645	375	94
950-16	8,67	157796	12	725	430	94
950-18	9,62	157789	12	805	486	94



► Medium Intensity Rake 951

REF.	£			g	A mm	B mm
951-10	5,18	157765	12	485	262	94
951-12	5,48	157758	12	565	318	94
951-14	5,74	157741	12	645	375	94
951-16	6,21	157734	12	725	430	94
951-18	6,51	157727	12	805	486	94
951-20	7,25	157710	12	885	542	94



► Domestic Use Rake 952

REF.	£			g	A mm	B mm
952-12	4,18	157703	12	390	270	73
952-14	4,36	157697	12	435	320	73
952-16	4,79	157680	12	480	368	73



► High Intensity Rake with Handle 950

REF.	£			g	A mm	B mm
950-12 CM	13,46	158458	6	1.010	318	94
950-14 CM	14,02	158465	6	1.090	375	94
950-16 CM	14,45	158472	6	1.170	430	94
950-18 CM	15,40	158489	6	1.250	486	94
950-18 CM L1500	15,04	635461	6	1.250	486	94



► Medium Intensity Rake with Handle 951

REF.	£			g	A mm	B mm
951-10 CM	11,00	158502	6	930	262	94
951-12 CM	11,26	158519	6	1.010	318	94
951-14 CM	11,52	158526	6	1.090	375	94
951-16 CM	11,99	158533	6	1.170	430	94
951-18 CM	12,38	158540	6	1.250	486	94
951-20 CM	13,07	158557	6	1.330	542	94




► Domestic Use Rake with Handle 952

REF.	£			g	A mm	B mm
952-12 CM	9,97	157888	6	835	270	73
952-14 CM	10,18	158021	6	880	320	73
952-16 CM	10,57	158038	6	925	368	73



► Domestic Use Rake with Fiberglass Handle 3102

REF.	£			g	A mm	B mm
3102-14 MFVL	13,07	550689	6	1.120	335	75
3102-16 MFVL	13,63	550702	6	1.230	405	75



Lawn rakes


- Manufactured with special Bellota steel.
- Heat treated prongs for great elasticity and to prevent bending.
- Maximum bending strength prongs.
- Coatings and treatments to prevent rust.
- Two types of handles:
 - Varnished wooden handles, light and comfortable touch. FSC certified.
 - Aluminium handles: light and long-lasting. With anti-slip vinyl coating and grips on the upper end for an improved hold.

Uses:

- For lawn cleaning.
- For clearing lawns from grass cuttings or fallen leaves.



FIXED RAKE



► Round Prongs Lawn Rake 3040

REF.	£	8 41 4299	g	A mm	B mm
3040	8,80	195095	6	600	445
3040 CM	13,93	185539	6	955	445

For graber soil cleaning.

► Flat Prongs Lawn Rake 3041

REF.	£	8 41 4299	g	A mm	B mm
3041	9,10	159639	12	440	385
3041 CM	14,19	159417	6	795	385

For grass cutting, leaves or waste clearing without damaging the lawn.



► Flat Prongs Lawn Rake with Aluminium Handle 3041

REF.	£	8 41 4299	g	A mm	B mm
3041 CMA	15,49	533729	6	705	385

For grass cutting, leaves or waste clearing without damaging the lawn.

ADJUSTABLE RAKE



► Flat Prongs Adjustable Lawn Rake 3042

REF.	£	8 41 4299	g	A mm	B mm
3042	12,04	159646	12	520	385/480
3042 CM	17,17	159424	6	875	385/480


Working width 385 mm - 480 mm.



► Flat Prongs Adjustable Lawn Rake with Aluminium Handle 3042

REF.	£	8 41 4299	g	A mm	B mm
3042 CMA	18,94	533743	6	785	385/480

Adjustable width 385 mm - 480 mm.



Plastic lawn rake

- Polypropylene head of single piece construction.
- Lightweight and easy handling.
- Maximum bending strength prongs.
- Wide head to improve performance.
- Varnished wooden handles, light and comfortable touch. FCS certified.

Uses:

- For lawn cleaning.
- For clearing lawns from grass cuttings or fallen leaves.



► Plastic Lawn Rake 3034-24

REF.	£	8 41 4299	g	A mm	B mm
3034-24	9,92	577471	6	420	620
3034-24 CM	14,54	611410	6	670	620

Working width 620 mm.

► Plastic Lawn Rake 3034-32

REF.	£	8 41 4299	g	A mm	B mm
3034-32	11,43	611434	6	700	820
3034-32 CM	17,17	611458	6	950	820

Working width 820 mm.



GARDEN MAINTENANCE

Long wooden handle tools

- Special steel and very lights tools.
- Special coating to prevent tool breakage.
- Varnished wooden handles, light and comfortable touch. Length 1.500 mm. FCS certified.
- Handles with variable diameter to better fit different hand sizes.

Uses:

- For garden and vegetable tasks.
- To clearing, aerating, breaking clods and planting.



► **Wheeled Scarifier 3080**

REF.	£	8 41 4299	g	A mm	B mm
3080	19,71	612271	4	1.760	500
3080 CM	24,20	612301	1	2.500	500

For Spring and Autumn lawn conditioning. Spring: cleaning and moss and other waste removal. Autumn: preparing the lawn for vegetation recovery period.



► **Tilling Hoe 3081**

REF.	£	8 41 4299	g	A mm	B mm
3081	5,22	609899	6	325	153
3081 CM	11,13	609912	6	1.135	153

For weeding and breaking the soil.



► **Peak Hoe 3082**

REF.	£	8 41 4299	g	A mm	B mm
3082	5,22	609936	6	260	120
3082 CM	11,17	609950	6	1.070	120

Multi-purpose: digging, furrow closing, weeding and preparing the soil for sawing.



► **Oscillating Hoe 3083**

REF.	£	8 41 4299	g	A mm	B mm
3083	5,22	609974	6	215	150
3083 CM	11,17	609998	6	1.025	150

For root cutting. Two sides cutting: push and pull.



► **3 Prongs Cultivator 3084**

REF.	£	8 41 4299	g	A mm	B mm
3084	4,27	610017	6	205	114
3084 CM	10,09	610031	6	945	114

For scratching and areating the soil. Weeding.




GARDEN MAINTENANCE

Short handle tools: fibreglass

- Manufactured with fiberglass: light and strong.
- Optimized designs for easy working.
- Easy to clean.

Uses:

- Small tools for tasks on terraces, flower pots, rock gardens and balconies.



► **Trowel 2985**

REF.	£	8 41 4299	g	A mm	B mm
2985	2,42	168006	6	109	290

For transplanting. Working width 85 mm.



► **Narrow Trowel 2986**

REF.	£	8 41 4299	g	A mm	B mm
2986	2,42	169614	6	90	290

For transplanting. Working width 60 mm.



► **Rake 2987**

REF.	£	8 41 4299	g	A mm	B mm
2987	2,42	169669	6	99	283

For turning and areating the soil.



► **Fork - Hoe 2990**

REF.	£	8 41 4299	g	A mm	B mm
2990	3,11	169812	6	153	332

For turning and areating the soil.



► **Tool Kit 2994**

REF.	£	8 41 4299	g	A mm	B mm
2994	7,20	577341	4	360	350

Perfect for basic gardening tasks. Good gift idea.




Short handle tools: aluminium

- Manufactured in one single aluminium piece: light and strong.
- Special design: improved performance and easy to handle.
- Two-material handles with SOFT-TOUCH for comfort during work.

Uses:

- Small tools for tasks on terraces, flower pots, rock gardens and balconies.



► Trowel 3001

REF.	£	8 41 4299	6	g	A mm	B mm
3001	4,40	159493		192	290	80

For transplanting. Working width 80 mm.



► Narrow Trowel 3000

REF.	£	8 41 4299	6	g	A mm	B mm
3000	4,40	170306		186	290	60

For transplanting. Working width 60 mm.



► Rake 2998

REF.	£	8 41 4299	6	g	A mm	B mm
2998	4,40	170122		261	280	84

For turning and areating the soil.



► Fork - Hoe 3005

REF.	£	8 41 4299	6	g	A mm	B mm
3005	4,40	159530		354	310	202

For breaking and areating the soil.



► Rake 3006

REF.	£	8 41 4299	6	g	A mm	B mm
3006	4,40	159547		266	302	111

For clearing, levelling and covering seeds.



► Dibber 3003

REF.	£	8 41 4299	6	g	A mm	B mm
3003	4,40	159516		173	284	111

For planting bulbs and seedlings.



► Handheld Bulb Planter 3012

REF.	£	8 41 4299	6	g	A mm	B mm
3012	4,49	169966		320	240	125

For planting bulbs and seedlings up to 6cm diameter.



► Tool Kit 3076

REF.	£	8 41 4299	4	g	A mm	B mm
3076	14,71	561937		1.023	375	255

Perfect for basic gardening tasks. Good gift idea.



Proline - Pruners

- Easy and clean cut: perfect penetration and sliding of the cutting blade on the branch.
- Highly resistant Bellota steel cutting blades for a longer tool life.
- EASY ADJUST joint system patented and exclusive to ensure precise, easy and stable system over time.
- Ergonomic handles design, minimum effort and minimum fatigue: exclusive shock absorber design.
- All spare parts are available.

Uses:

- Universal pruning: vines, fruit trees and olive trees.



► Universal Aluminium Handle Pruner 3510

REF.	£	8 41 4299	3	g	L mm	Ø Corte
3510-21	29,11	549775		260	210	25
3510-22	29,11	549799		270	220	25

Very ergonomic and resistant.



► Universal Toothed Counter - Blade Aluminium Handle Pruner 3510

REF.	£	8 41 4299	3	g	L mm	Ø Corte
3510-21D	33,47	565638		260	210	25

Very ergonomic and resistant. 3510D: serrated counter-blade for better balance.



► EasyCut Universal Aluminium Handle Pruner 3512

REF.	£	8 41 4299	3	g	L mm	Ø Corte
3512-21	30,81	576276		230	210	30
3512-22	30,81	576290		240	220	30

Specially designed for big branches pruning. Very ergonomic and resistant.



► Special Fruit Trees Aluminium Handle Pruner 3604

REF.	£	8 41 4299	3	g	L mm	Ø Corte
3604-21	27,37	187892		255	210	25

Aluminium handles construction with non-slip covering: light and ergonomic.



► Universal Forged Pruner 3504-23

REF.	£	8 41 4299	3	g	L mm	Ø Corte
3504-23	24,65	143607		450	230	25

Forged in one single piece, highly robust.



► Universal Stamped Steel Handles Pruner 3505-23

REF.	£	8 41 4299	3	g	L mm	Ø Corte
3505-23	22,93	341416		330	228	25

Stamped steel light handles.




PRUNING SECATEURS

Proline - Snips

- Stainless steel blades with non-stick coating: avoids infection between plants and allows easy maintenance of the shears.
- Blade treatments to prevent breakage and for longer tool life.
- Dual-material ergonomic handles with SOFT-TOUCH for comfort during work.
- Integrated shock absorption.
- Spring available as spare part.

Uses:
• For picking grapes, fruit and flowers.



► **Snip 3621**

REF.	£	8 41 4299	g	L ₁ mm	L ₂ mm
3621 INOX-CEMB	5,82	608588	24	82	186
3621-C	6,53	623260	6	82	186

Long and round tip blade to avoid fruit dammages. For fruit, vine and vegetables harvesting.



► **Snip 3623**

REF.	£	8 41 4299	g	L ₁ mm	L ₂ mm
3623 INOX-CEMB	5,82	588231	24	80	185
3623-C	6,53	635621	6	80	185

Long and narrow blade. For fruit and vine harvesting. For delicate pruning in difficult to reach areas.



► **Snip 3625**

REF.	£	8 41 4299	g	L ₁ mm	L ₂ mm
3625 INOX-CEMB	5,82	588293	24	77	160
3625-C	6,53	635645	6	77	160

Long and curved blade. For fruit and flower harvesting.



► **Snip 3629**

REF.	£	8 41 4299	g	L ₁ mm	L ₂ mm
3629 INOX-GR25MB	5,82	588330	25	83	203

Long and straight blade. For fruit and vine harvesting, for garlic stem cutting.



► **Snip 3622**

REF.	£	8 41 4299	g	L ₁ mm	L ₂ mm
3622 INOX-CEMB	5,82	588255	24	88	185
3622-C	6,53	627398	6	88	185

Straight and narrow bypass blade. To reach comfortably stems for pruning and clearing.



► **Snip 3624**

REF.	£	8 41 4299	g	L ₁ mm	L ₂ mm
3624 INOX-CEMB	5,82	588279	24	80	186
3624-C	6,53	634921	6	80	186

Long and straight blade. For vine harvesting.




► **Snip 3628**

REF.	£	8 41 4299	g	L ₁ mm	L ₂ mm
3628 INOX-CEMB	5,82	588316	24	82	172
3628-C	6,53	626940	6	82	172

Small bypass blade. For fruit and vine harvesting and cutting ans pruning of small stems.



CE: package



PRUNING SECATEURS

Proline - Loppers

- Easy and clean cut: perfect penetration and sliding of the cutting blade on the branch.
- Highly resistant Bellota steel cutting blades for a longer tool life.
- EASY ADJUST joint system patented and exclusive to ensure precise, easy and stable system over time.
- EXTRA shock absorber with more surface contact for minimum effort and minimum fatigue.
- Elliptical aluminium handles with SOFT-TOUCH grips for comfort during work, light and ergonomics.
- All spare parts are available.

Uses:
• All purpose pruning: vines, fruit trees and olive trees.



► **Universal Lopper 3578**

REF.	£	8 41 4299	g	L mm	Ø Corte
3578-40	37,03	580112	3	772	400
3578-45	38,58	549812	3	780	450
3578-50	40,15	549836	3	820	500
3578-60	41,74	549850	3	860	600
3578-75	42,93	588552	3	932	750
3578-90	43,76	567953	3	980	900

For all purpose pruning: vine, fruit and olive trees.



► **Universal Extendable Handle Lopper 3578**

REF.	£	8 41 4299	g	L mm	Ø Corte
3578-TEL	43,72	613513	3	1.120	600/900

For all purpose pruning: vine, fruit and olive trees. Extendeable handle from 60 to 90 cm.



► **Universal Toothed Counter - Blade Lopper 3578**

REF.	£	8 41 4299	g	L mm	Ø Corte
3578D-45	38,58	549874	3	780	450
3578D-50	40,15	549898	3	820	500
3578D-60	41,74	549911	3	860	600
3578D-75	42,93	588576	3	900	750
3578D-90	43,76	567977	3	980	900

For all purpose pruning: vine, fruit and olive trees. Serrated counter-blade for better balance.



► **Special Fruit Trees Lopper 3580**

REF.	£	8 41 4299	g	L mm	Ø Corte
3580-50	36,16	501247	3	850	500
3580-60	37,63	501292	3	890	600
3580-75	38,46	588590	3	950	750
3580-90	39,09	566543	3	1.010	900

For fruit tree pruning. Specially design for thick branches pruning.



PRUNING SECATEURS/ PROLINE - LOPPERS



► Special Fruit Trees Anvil Lopper 3581

REF.	£	8 41 4299	3	g	L mm	Ø Corte
3581-80	53,62	593495	3	1.137	800	40

For fruit trees, dry and hard wood pruning. Compound action system. Technical aluminium anvil, easy to replace.



► Vine LIGHT Lopper 3589

REF.	£	8 41 4299	3	g	L mm	Ø Corte
3589-40	35,88	579932	3	645	400	30
3589-50	38,91	579956	3	698	500	30

Light model. For vine pruning and tipping.



► Universal Toothed Counter - Blade LIGHT Lopper 3588

REF.	£	8 41 4299	3	g	L mm	Ø Corte
3588D-40	35,18	579871	3	697	400	35
3588D-50	38,15	579895	3	745	500	35
3588D-60	39,66	579918	3	803	600	35
3588D-75	40,78	011616	3	896	750	35

Ligth model. For all purpose pruning: vine, fruit and olive trees. Serrated counter blade for a better cutting balance.



► Pole Pruner 3590

REF.	£	8 41 4299	4	g	L mm	A mm	B mm
3590	40,69	633399	4	1.180	420	190	35
3590-S	52,05	633412	4	1290	600	255	35

For all purpose pruning: vine, fruit and olive trees. Compound action system x8. Adaptable to any pole by using provided screw.



PRUNING SECATEURS

Proline - Hedge shears

- Easy and clean cut: perfect penetration and sliding of the cutting blade on the branch.
- Highly resistant steel Bellota cutting blades for a longer tool life.
- Elliptical aluminium handles with SOFT-TOUCH grips for comfort during work, light and ergonomics.
- Flexible shock absorber for minimum effort and minimum fatigue.

Uses:

- Pruning and maintenance of bushes and trees.



► Long Blade Hedge Shear 3582

REF.	£	8 41 4299	3	g	L ₁ mm	L ₂ mm
3582	37,71	637472	3	1.180	670	267

Long and straight blades for difficult to reach areas.



► Toothed Blade Hedge Shear 3584

REF.	£	8 41 4299	3	g	L ₁ mm	L ₂ mm
3584	44,07	091304	3	1.040	570	216

Serrated blade for easy cutting of wet or thick branches and to prevent sliding while cutting.



GARDEN SECATEURS

Garden Line - Pruners

- Blade and counter blade have a non-slip coating for clean and easy cut.
- Ambidextrous dual-material ergonomic handles with SOFT-TOUCH.
- Adjustable opening system that adjusts to both the size of the hand user and the stork or branch to be cut.
- Slanted cutting head to give a comfortable cutting position to avoid bending the hand.
- Workable safety device on both sides.
- Bolt designed for precise and stable adjustment.
- Stable spring that reduces fatigue.

Uses:

- For caring for and maintaining garden plants and trees.



► Delicate Cuts Pruner 3401

REF.	£	8 41 4299	3	g	L mm	Ø corte
3401	13,98	615364	3	195	190	10

For delicate cutting, cleaning and clearing of leaves, Bonsai pruning and maintainance detail works.



► Anvil Pruner 3402

REF.	£	8 41 4299	3	g	L mm	Ø corte
3402	18,64	615388	3	205	195	28

Cutting and pruning of dry and hard branches.



► Universal Pruner 3403

REF.	£	8 41 4299	3	g	L mm	Ø corte
3403	18,64	615401	3	200	195	25

Cutting and pruning of medium sized branches.



► EasyCut Pruner 3404

REF.	£	8 41 4299	3	g	L mm	Ø corte
3404	13,98	615449	3	190	180	20


Overall maintenance tasks. For a quick and comfortable work. Extra easy cut.



► Floral Pruner 3520

REF.	£	8 41 4299	6	g	L mm	Ø corte
3520	7,92	563368	6	95	205	15

Stainless steel blade. Curved and toothed blade for clean cutting.



► Long Reach Pruner 3612

REF.	£	8 41 4299	2	g	L mm	Ø Corte
3612	37,74	563344	2	780	1.000/1.500	20

Extendable handle: 1 - 1,5 m. Detachable cut'n'hold feature holds stem until you release the grip.



GARDEN SECATEURS

Garden Line - Loppers

- Blade and counter blade have a non-slip coating for clean and easy cut.
- Ergonomic handles, light and balanced reinforced polyamide construction. SOFT-TOUCH elastomer grips for comfort during work.
- EXTRA shock absorber with more surface contact for minimum effort and minimum fatigue.
- Bolt designed for precise and stable adjustment.

Uses:

- For pruning thick branches, both green and dry, at different heights.



► Univesal Lopper 3440-75

REF.	£	8 41 4299	g	L mm	Ø Corte
3440-50	27,95	615531	3	800	510
3440-75	31,21	615555	3	980	750

Serrated counter blade for a better stability and for an easy cut.



► Univesal Extendable Lopper 3440

REF.	£	8 41 4299	g	L mm	Ø Corte
3440-TEL	32,62	615517	3	1.100	600/900

Serrated counter blade for a better stability and for an easy cut. Extendable aluminium handle: 60cm - 90 cm.



► Anvil Lopper 3441

REF.	£	8 41 4299	g	L mm	Ø Corte
3441-50	27,95	622508	3	850	515
3441-75	31,21	622522	3	1.020	750

Aluminium anvil to reduce wear.



► Extendable Anvil Lopper 3441

REF.	£	8 41 4299	g	L mm	Ø Corte
3441-TEL	32,62	622546	3	1.150	600/900

Aluminium anvil to reduce wear. Extendable aluminium handle: 60cm - 90 cm.



► PowerCut x 2 Lopper 3442

REF.	£	8 41 4299	g	L mm	Ø corte
3442-50	31,13	635485	3	800	500
3442-75	35,88	622584	3	950	750

Compound action system.



► PowerCut x 2 Anvil Lopper 3443

REF.	£	8 41 4299	g	L mm	Ø corte
3443-50	31,13	635508	3	850	500
3443-75	35,88	622560	3	950	750

Compound action system. Aluminium anvil to reduce wear.



GARDEN SECATEURS

Garden Line - hedge shears

- Blade and counter blade have a non-slip coating for clean and easy cut.
- Ergonomic handles, light and balanced reinforced polyamide construction. SOFT-TOUCH elastomer grips for comfort during work.
- EXTRA shock absorber with more surface contact for minimum effort and minimum fatigue.
- Bolt designed for precise and stable adjustment.

Uses:

- For trimming of hedges and bushes in landscaping.



► Straight Blade Hedge Shear 3461

REF.	£	8 41 4299	g	L1 mm	L2 mm
3461-R	23,76	615616	3	910	645

For the cutting of thin branches and hedge and bushes trimming.

NEW

► Straight Blade Hedge Shear with Wood Handle 3461

REF.	£	8 41 4299	g	L1 mm	L2 mm
3461-R MM	23,75	615065	3	910	560

For the cutting of thin branches and hedge and bushes trimming.

NEW

► Straight Blade Hedge Shear with Extendable Handle 3461

REF.	£	8 41 4299	g	L1 mm	L2 mm
3461-R TEL	28,51	635041	3	1.000	600

For the cutting of thin branches and hedge and bushes trimming. Extendable handles: 60cm- 80cm.



► Curved Blade Hedge Shear 3461

REF.	£	8 41 4299	g	L1 mm	L2 mm
3461-C	23,76	615630	3	910	645

For cutting thick branches and hedges and bushes with scattered branches trimming.



GARDEN SECATEURS

Garden Line - New lawnmowers

- Blade and counter blade with non-slip coating for clean and easy cut.
- Ergonomic handles, light and balanced reinforced polyamide construction. SOFT-TOUCH elastomer grips for comfort during work.
- Ergonomic handles, light and balanced.

Uses:

- To cut and trim lawns.



► Grass Shear 3555

REF.	£	8 41 4299	g	L1 mm	L2 mm
3555	11,42	091328	6	380	350

NEW

► Long Reach Grass Shear 3556

REF.	£	8 41 4299	g	L1 mm	L2 mm
3556	25,46	639155	2	1.050	1.180

Working height: 90 cm.




PRUNING SECATEURS

Classic line - Pruners

- Well-designed cutting angles and sharpness for accurate and clean cutting.
- Blade treated to prevent breakage and for a longer tool life.
- Classic robust design.
- Spare parts are available.

Uses:
• For intensive pruning and picking.



► **Universal Forged Pruner 3501**

REF.	£	8 41 4299	g	L mm	Ø corte
3501-18	7,08	160024	12	170	20
3501-18 BL	7,59	160444	6	170	20
3501-20	8,11	160086	6	280	22
3501-20 BL	8,90	160451	6	280	22
3501-22	9,18	160093	6	315	25
3501-22 BL	9,93	160468	6	315	25
3501-24	10,67	160109	6	350	25
3501-24 BL	11,51	160475	6	350	25
3501-26	12,34	078206	6	433	25



► **Harvesting Forged Pruner 3502**

REF.	£	8 41 4299	g	L mm	Ø corte
3502-19	5,78	160116	12	165	190
3502-19 BL	6,57	160482	6	165	190



► **Forged Garlic Pruner 3503**

REF.	£	8 41 4299	g	L mm	Ø corte
3503-19	7,17	160123	12	170	190
3503-19 BL	7,69	160499	6	170	190

NEW



► **Universal Forged Pruner 23501**

REF.	£	8 41 4299	g	L mm	Ø corte
23501-18	5,66	613537	12	140	180



► **Universal Forged Pruner 3601**

REF.	£	8 41 4299	g	L mm	Ø corte
3601-21	16,21	094770	6	260	210




► **Universal Forged Pruner 3602**

REF.	£	8 41 4299	g	L mm	Ø corte
3602	18,54	090406	6	340	220



► **Orange Shear 3506**

REF.	£	8 41 4299	g	L mm	Ø corte
3506	9,22	618549	6	90	110



PRUNING SECATEURS

Accessories



► **Sharpener 3642**

REF.	£	8 41 4299	g
3642	7,84	091694	12

For sharpening any pruning or cutting tools. Tungsten carbide pad.



► **Leather Cover 3643**

REF.	£	8 41 4299	g
3643	11,84	091755	6

For pruner. Riveted leather manufactured. Belt clip included.



PRUNING SECATEURS

Spare parts

PRO LINE PRUNERS



3510-H



3510-CH



3510-S



3510-MA



3510-BT



3510-21 H / 3510-22 H



3510-21 C / 3510-22 C

► **Parts for universal shears 3510**

REF.	£	8 41 4299	g		
3510-H	8,48	551228	6	Blade	3510
3510-CH	9,15	551242	6	Counter blade	3510
3510-S	3,21	551280	6	Closing device	3510
3510-MA	4,87	551266	6	Spring + Damper	3510
3510-BT	7,96	551303	6	Bolt + Nut	3510
3510-21 H	4,91	551327	6	Blade handle	3510-21
3510-21 C	4,91	551365	6	Counter blade handle	3510-21
3510-22 H	5,78	551341	6	Blade handle	3510-22
3510-22 C	4,91	551389	6	Counter blade handle	3510-22



3512-H



3512-CH



3512-MA



3512-BT



3512-21 H / 3512-22 H



3512-21 CH / 3512-22 CH

► **Parts for universal shears 3512**

REF.	£	8 41 4299	g		
3512-H	8,48	606294	6	Blade	3512
3512-CH	9,15	606331	6	Counter blade	3512
3512-MA	4,87	606317	6	Spring + Damper	3512
3512-BT	7,96	606270	6	Bolt + Nut	3512
3512-21 H	8,48	606355	6	Blade handle	3512-21
3512-21 CH	9,15	606393	6	Counter blade handle	3512-21
3512-22 H	6,49	017267	6	Blade handle	3512-22
3512-22 CH	6,49	222067	6	Counter blade handle	3512-22



3505-BT



3505-CH



3505-H



3505-MA



3505-S


► **Spare parts for steel shears 3505-23**

REF.	£	8 41 4299	g		
3505-H	6,06	618754	6	Blade	3505-23
3505-CH	5,13	618730	6	Counter blade	3505-23
3505-BT	9,36	618716	6	Bolt + Nut	3505-23
3505-MA	3,26	618778	6	Spring + Damper	3505-23
3505-S	2,33	618792	6	Closing device	3505-23



► Spare parts for forged shears 3504-23

REF.	£	8 41 4299		Destino
3504-H	6,06	373080	6	Blade
3504-CH	5,13	628043	6	Counter blade
3504-S	2,33	628067	6	Closing device
3510-BT	7,96	551303	6	Bolt + Nut
3505-MA	3,26	618778	6	Spring + Damper



► Parts for aluminium shears 3604

REF.	£	8 41 4299		Destino
3604-21 H	4,28	264395	12	Blade
3604-21 M	0,99	297911	12	Spring
3510-BT	7,96	551303	6	Bolt + Nut

PRO LINE SNIPS

► Parts for harvesting shears


REF.	£	8 41 4299		Destino
3622 INOX-M	0,38	593723	12	Spring + Damper

PRO LINE LOPPERS



► Parts for universal pruning shears

REF.	£	8 41 4299		Destino
3578-H	11,21	551068	6	Blade
3578-CH	11,57	551082	6	Counter blade
3578-CHD	13,35	551105	6	Serrated counter blade
3578-A	3,13	551129	6	Set damper
3578-BT	7,96	551143	6	Bolt + Nut
3578-TTM	2,93	135329	6	Set screw for the handle
3578-M40	15,04	028218	6	Handle
3578-M45	14,04	551167	6	Handle
3578-M50	15,04	551181	6	Handle
3578-M60	15,04	551204	6	Handle
3578-M75	16,44	594959	6	Handle
3578-M90	16,51	231199	6	Handle



► Spare parts for extendible universal shears

REF.	£	8 41 4299		Destino
3578-TELA	3,84	614152	6	Damper
3578-TELT	3,57	614282	6	Screw
3578-MTEL	23,47	614138	6	Handles



► Parts for universal fruit pruning shears 3580

REF.	£	8 41 4299		Destino
3580-H	11,21	566628	6	Blade
3580-CH	11,57	566642	6	Counter blade



► Parts for anvil fruit pruning shears 3581

REF.	£	8 41 4299		Destino
3581-BM	12,19	593808	6	Multiplier arm
3581-BT	8,39	046601	6	Bolt + Nut + Screw
3581-CH	12,19	593754	6	Counter blade
3581-H	11,80	057713	6	Blade
3581-Y	8,67	593785	6	Aluminium anvil
3581-TA	1,98	360974	6	Screw + Washer + Nut
3581-TTC	4,19	611373	6	Pivot Screw + Washer
3581-M	17,70	593822	6	Handle



► Parts for lightweight universal pruning shears

REF.	£	8 41 4299		Destino
3588-H	10,69	579970	6	Blade
3588D-CH	11,01	579994	6	Serrated counter blade
3589-H	11,21	580013	6	Blade
3589-CH	11,57	580037	6	Counter blade
3588-M40	14,30	580051	6	Handle
3588-M50	14,30	580075	6	Handle
3588-M60	14,30	580099	6	Handle
3588-M75	14,30	594973	6	Handle



► Parts for pole 3590

REF.	£	8 41 4299		Destino
3590-H	12,18	633436	4	Blade
3590-M	4,53	633450	4	Spring
3590-BT	8,28	633474	4	Bolt Nut
3590-C	6,78	633498	4	Rope
3590-P	3,16	633511	4	Pulley
3590-A	5,89	633559	4	Clamp
3590-CH	18,57	633573	4	Set counter blade

PRO LINE HEDGE SHEARS



► Parts for bush trimmers 3584

REF.	£	8 41 4299		Destino
3583-A	1,44	124859	6	Set damper
3583-T	4,63	125092	6	Screw + Nut



GARDEN LINE PRUNERS



Pruners

REF.	£			Destino	
3401-H	3,63	627688	6	Blade	3401
3402-H	3,63	627701	6	Blade	3402
3403-H	3,63	627800	6	Blade	3403
3404-H	3,63	627824	6	Blade	3404
3403-B	2,94	627848	6	Bolt nut	3401, 3402, 3403, 3404
3403-M	1,39	627862	6	Spring	3401, 3402, 3403, 3404
3612-H	4,19	084214	1	Blade	3612

GARDEN LINE LOPPERS



Loppers

REF.	£			Destino	
3440-HT	6,06	627909	6	Blade	3440-50, 3440-75
3440-TEL-HT	6,06	627923	6	Blade	3440-TEL
3441-HT	6,06	627947	6	Blade	3441-50, 3441-75
3441-TEL-HT	6,06	627961	6	Blade	3441-TEL
3440-B	4,19	627985	6	Bolt screw	3440-50, 3440-75,3440-TEL, 3441-50, 3441-75, 3441-TEL, 3461R
3441-YT	4,19	628005	6	Anvil	3441-50, 3441-75, 3441-TEL
3442-H	6,74	639056	6	Blade	3442
3443-H	6,74	639070	6	Blade	3443
3443-Y	4,19	639131	6	Anvil	3443
3578-TELA	3,16	614152	6	Damper	3440, 3441, 3442, 3443, 3461R, 3461C, 3461RTEL, 3461RMM

CLASSIC LINE PRUNERS

Parts for forged shears

REF.	£			Destino	
R3501-18	0,70	093506	24	Spring	3501-18, 3502-19, 3503-19
R3501-20	0,73	093544	24	Spring	3501-20, 3501-22
R3501-24	0,87	093582	24	Spring	3501-24, 3501,26

Parts for shear 3601

REF.	£			Destino	
3601-21 M	1,86	124163	1	Spring	3601-21
3601-21 T	0,79	139501	1	Bolt	3601-21

Parts for shear 3602

REF.	£			Destino	
3602-K	2,97	518320	1	Blade + Bolt + Spring	3602



Pruning saws: Japanese teeth

- Manufactured with special Bellota steel.
- Japanese teeth sharpened on three sides for easy cutting and cleaning.
- Double heat treatment for greater performance: fully tempered blade and extra tempered teeth.
- Three types of handles:
 - Varnished wooden handles, light and comfortable touch.
 - Dual-materials ergonomic handles with SOFT-TOUCH for comfort during work.
 - Steel tube handle with threaded end to be used easily and safely on high up pruning.
- Includes fiberglass scabbard for safety and comfortability.

Uses:

- For pruning woody plants: olive trees, fruit trees, citrus trees and grape vines.
- For pruning ornamental plants and trees:
 - Curved blades for high pruning.
 - Straight blades for pruning at the height of the user.



Curved Pruning Saw 4587

REF.	£			g	A mm	B mm
4587-11	18,82	314038	6	231	280	4
H4587-11	12,26	940725	6	95	280	4
4587-13	19,53	314045	6	241	330	4
H4587-13	12,72	940688	6	105	330	4



Straight Pruning Saw 4589

REF.	£			g	A mm	B mm
4589-9	20,22	037883	6	171	228	4
H4589-9	13,19	529678	6	60	228	4
4589-12	20,74	583342	6	200	304	4
H4589-12	13,51	622966	6	70	304	4

Conical blade with chrome coating for smooth and fast cutting.



Curved Pruning Saw Metal Handle 4580

REF.	£			g	A mm	B mm
4580-13	31,63	538908	6	297	330	4
H4580-13	15,38	537338	6	297	120	4

Curved blade for easy cutting of difficult to reach branches.



Curved Pruning Saw Bimaterial Handle 4588

REF.	£			g	A mm	B mm
4588-13	19,89	499117	6	262	330	4
H4588-13	11,64	529654	6	110	330	4



Straight Pruning Saw Bimaterial Handle 4570

REF.	£			g	A mm	B mm
4570-10	19,33	624601	6	190	240	2

Fine teeth for clean and fine finish.



Curved Pruning Saw Metal Handle 4587

REF.	£			g	A mm	B mm
4587-13 MM	21,48	464092	6	262	330	4
H4588-13	11,64	529654	6	110	330	4



► Curved Pruning Saw Metal Handle 3014

REF.	£	8 41 4299	g	A mm	B mm
3014 HM	18,54	567205	4	370	378

Curved blade for easy cutting of difficult to reach branches.



► Curved Foldable Pruning Saw Bimaterial Handle 4586

REF.	£	8 41 4299	g	A mm	B mm
4586-7C	21,76	498998	6	192	180
H4586-7C	14,16	529531	6	192	180

Curved and conical blade, impulse tempered teeth for smoother and faster cut.



Pruning saws: Universal teeth

- Manufactured with special Bellota steel.
- Fully heat treated for longer lifetime.
- Resharpenable with Bellota files reference number 4081 and 4040.
- Two types of handles:
 - Varnished wooden handles, light and comfortable touch.
 - Dual-material ergonomic handles with SOFT-TOUCH for comfort during work.
- Includes fiberglass scabbard for safety and comfortability.

Uses:

- For pruning woody plants: olive trees, fruit trees, citrus trees and grape vines.
- For pruning ornamental plants and trees.



► Straight Pruning Saw 4581

REF.	£	8 41 4299	g	A mm	B mm
4581-12	10,02	303308	6	196	300
4581-14	10,81	303407	6	211	350
4581-16	12,48	303506	6	231	400



► Straight Pruning Saw for Branches and Roots 3011

REF.	£	8 41 4299	g	A mm	B mm
3011	13,61	089943	6	135	165

Conical blade with chrome coating for smooth and fast cutting.



Proline Pruning pole

- Manufactured with special Bellota steel.
- Japanese teeth sharpened on three sides for easy and clean cutting.
- Double heat treatment for greater performance: fully tempered blade and extra tempered teeth.
- Extendable handle: 2.200 - 3.200 mm for high up pruning 8 locking positions through latches: can be fixed at each position, without gaps.

Usos:

- For pruning woody plants, ornamental plants and trees.
- For high up pruning.



► Pole with Japanese Teeth Curved Pruning Saw P4580-13

REF.	£	8 41 4299	g	A mm	B mm
P4580-13	48,12	582734	3	1.265	2.200-3.210

Extendable from 2,2m to 3,2 m. Curved saw blade with hook for an easy cutting of high or difficult to reach branches.



► Pole with Japanese Teeth Curved Pruning Saw P4587-13

REF.	£	8 41 4299	g	A mm	B mm
P4587-13	37,93	582758	3	1.275	2.250-3.260

Extendable from 2,2m to 3,2 m. Curved saw blade.



Garden Line Pruning pole

- Manufactured with special Bellota steel.
- Telescopic pole that holds in place by means of a clutch system.

Uses:

- For pruning woody plants, ornamental plants and trees.
- For high up pruning.



► Pole Japanese Teeth Curved Pruning Saw 3014

REF.	£	8 41 4299	g	A mm	B mm
3014	36,85	563306	6	1.080	2090-3470

Japanese teethed pruning saw for easy and clean cutting. Hook on top of the blade for an easy cutting of difficult to reach branches. Rear knife included. Extendable pole 1600 - 3000 mm, can set any intermediate length by turning the handle.



► Pole with Saw and Pruner 3631

REF.	£	8 41 4299	g	A mm	B mm
3631	104,18	091595	1	2.830	2350-4000

Universal teethed pruning saw + pruner with gear system. Extendable Fiber Glass handle from 2350 to 4000mm.

SPARE PARTS



3631 HC



3631 M



3631 H



H4588-13



3630

REF.	£	8 41 4299	g	
3631 HC	13,47	124811	1	70
3631 M	6,76	124965	1	20
3631 H	8,15	124880	1	40
H4588-13	11,64	529654	6	110
3630	17,66	582772	3	980

Pruning pole secateur blade	3631
Pruning pole spring	3631
Saw blade	3631
Saw blade	P4587-13
Extensible handle	P4580-13 / P4587-13/3590/3590S



CUTTING PRUNING TOOLS

Proline Axes

- Manufactured with special Bellota steel.
- Forged in one single piece, unbreakable.
- 3+ steel treatment for a longer tool life: doesn't break, warp or wear away.
- Special edge design to ensure good branch penetration without jamming. Clean and easy cutting.
- Perfect union head-handle with fiberglass wedge PATENTED to ensure user safety.
- Varnished beech handle: light and comfortable touch. PEFC certified.
- Ergonomically designed handles for perfect hand fitting and better power transmission.
- Rubber edge protector for greater safety.
- Special coating and varnish to avoid head rust.

Uses:

- For wood cutting tasks. For trees cleaning and pruning.



► Axe 8130

REF.	£	8 41 4299	6	g	A mm	B mm
8130-300	13,16	156492	6	300	380	80
8130-400	14,49	156508	6	400	380	95
8130-500	15,92	156515	6	500	400	95
8130-600	17,00	156522	6	600	420	100
8130-700	18,03	156539	6	700	450	105
8130-800	19,24	156546	6	800	450	110
8130-1000	21,70	156553	6	1.000	600	120
8130-1200	22,99	156560	6	1.200	700	130
8130-1500	25,88	156577	6	1.500	800	140
8130-2000	30,46	156584	6	2.000	800	155



► Pruning Axe 8131

REF.	£	8 41 4299	6	g	A mm	B mm
8131-300	22,69	835762	6	300	480	65
8131-300 SM	16,87	835793	24	300		65

For cleaning and tree pruning.



CUTTING PRUNING TOOLS

Garden Line Axex

- Head with non-stick coating for a clean cut without effort, comfortable notch for easy pulling out of nails.
- Injected handle on the head for a perfect union. Hollow and light fiberglass handles.

Usos:

- For wood cutting jobs. For cleaning and pruning of trees.



NEW

► Garden Line Axe 3480

REF.	£	8 41 4299	3	g	L1 mm	L2 mm
3480	38,14	637526	3	785	378	80



CUTTING PRUNING TOOLS

Wedges

- Manufactured with special Bellota steel.
- Forged in one single piece, unbreakable.
- 3+ steel treatment for a longer tool life: doesn't break, warp or wear away.
- Perfect joint between blade and handle for safety of the user.
- Special edge design to ensure good branch penetration without jamming. Clean and easy cutting.
- Special paint and varnish to avoid rust of head.
- Two types of handles:
 - Beech handle: light and comfortable touch. PEFC certified.
 - Unbreakable Carbon Fiber handle. Ergonomic design with SOFT-TOUCH for comfort during work.

Uses:

- Sledgehammer-Wedge: for cutting thick and hard wood. Double use: Using the wedge as an axe for cutting wood.
- Wedges: for cutting and breaking up wood, to use with sledgehammer or sledgehammer-Wedge.



► Sledgehammer - Wedge 5460

REF.	£	8 41 4299	6	g	A mm	B mm
5460-3	39,56	124002	6	3.000	210	69


To prepare wood.



► Sledgehammer - Wedge Carbon Fiber Handel 5460

REF.	£	8 41 4299	6	g	A mm	B mm
5460-3 CF	43,91	625257	6	3.000	210	69

To prepare wood.



► Wedge 5461

REF.	£	8 41 4299	6	g	A mm	B mm
5461-1	14,24	124101	6	1.000	187	30
5461-1,5	17,86	124200	6	1.500	210	35
5461-2	21,48	124309	6	2.000	233	38
5461-2,5	24,12	124408	6	2.500	255	40
5461-3	27,39	124507	6	3.000	267	43




Bow saws blades

- Manufactured with special Bellota steel.
- High-frequency induction tempered blades for improved teeth durability.
- Perfectly heat treated cutting teeth for maximum strength and performance.

Uses:

- For cutting branches and wood in general.
- For pruning work and cleaning woody plants mainly fruit trees and bushes.



► American Teeth Bow Blade 4535

REF.	£	8 41 4299		g	A mm	B mm
4535-18	1,36	424683	12	40	457	20
4535-21	1,48	314397	12	46	533	20
4535-24	1,56	314403	12	56	610	20
4535-30	1,64	314410	12	71	762	20

American teeth for green wood cutting.



► Fine American Teeth Bow Blade 4536

REF.	£	8 41 4299		g	A mm	B mm
4536-18	1,36	046854	12	40	457	20
4536-21	1,48	032703	12	46	533	20
4536-24	1,56	032741	12	56	610	20
4536-30	1,64	032789	12	71	762	20

Fine American teeth, for clean cutting of green wood.



► Universal Teeth Bow Blade 4537

REF.	£	8 41 4299		g	A mm	B mm
4537-21	1,48	314427	12	46	533	20
4537-24	1,56	314434	12	56	610	20
4537-30	1,64	314441	12	71	762	20

Universal teeth for dry wood cutting.



► Fine Universal Teeth Bow Blade 4538

REF.	£	8 41 4299		g	A mm	B mm
4538-21	1,48	439793	12	46	533	20
4538-24	1,56	439830	12	56	610	20


Fine Unniversal teeth, for clean cutting of green wood.



► Porfessional American Teeth Bow Blade 4545

REF.	£	8 41 4299		g	A mm	B mm
4545-21 PROF	3,19	310009	12	46	533	20
4545-24 PROF	3,58	310207	12	60	610	20
4545-30 PROF	3,84	310405	12	76	762	20

Fine American teeth, for clean cutting of green wood. Extra teeth height for longer life.



► Porfessional Universal Teeth Bow Blade 4547

REF.	£	8 41 4299		g	A mm	B mm
4547-21 PROF	3,19	310801	12	49	533	20
4547-24 PROF	3,58	311006	12	60	610	20
4547-30 PROF	3,84	311204	12	76	762	20

Universal teeth for dry wood cutting. Extra teeth height for longer life.




Bow saws

- Special Bellota anchoring system: safe, comfortable and stable bow blade assembly.
- Centred and straight blade for easy straight cutting.
- High-frequency induction tempered blades for improved teeth durability.
- Perfectly heat treated cutting teeth for maximum strength and performance.

Uses:

- For cutting branches and wood.
- For pruning tasks and cleaning woody plants specially fruit trees and bushes.
- For formwork.



► Fine American Teeth Bow Saw 4534

REF.	£	8 41 4299		g	A mm	B mm	C mm
4534-18	4,92	084122	12	560	457	186	20
4534-21	5,05	084153	12	600	533	209	20
4534-24	5,44	084177	12	730	610	239	20
4534-30	5,82	084191	12	850	742	249	20

Fine American teeth, for clean cutting of green wood.



► Universal Teeth Bow Saw 4539

REF.	£	8 41 4299		g	A mm	B mm	C mm
4539-18	4,92	424775	12	560	457	186	20
4539-21	5,05	314458	12	600	533	209	20
4539-24	5,44	314465	12	730	610	239	20
4539-30	5,82	314472	12	850	762	249	20

Universal teeth for dry wood cutting.



► American Teeth Bow Saw 4540

REF.	£	8 41 4299		g	A mm	B mm	C mm
4540-18	4,92	424812	12	560	457	186	20
4540-21	5,05	314489	12	600	533	209	20
4540-24	5,44	314496	12	730	610	239	20
4540-30	5,82	314502	12	850	762	249	20

American teeth for green wood cutting.



Machetes


- Manufactured with special Bellota steel.
- Lamitated blades, conical blades for improved easy cutting.
- Optimum hardness, flexibility and resistance.
- Blade is continuous through the length of the handle.
- Three types of handles:
 - Varnished wooden handles, light and comfortable touch.
 - Dual-material handle: anatomic and anti-slip, provides comfort and safety.
 - Plastic handle: high impact polypropylene, flexible.

Uses:

- For clearing brushwood, weeds and small branches.
- For multiple crops: sugar cane, coffee, etc.

B Blade thickness (mm).

Note: All Machetes orders have a minimum quantity requirement, except those that are marked with ✱.



► Machete 202

REF.	£	 8 41 4299	 Pallet	g	A inches/mm	B mm
202-19,5-3 PMM		7702956007753	60	1.620	831 19,5"/ 495	3



► Machete 204

REF.	£	 8 41 4299	 Pallet	g	A inches/mm	B mm	
204-18-3 PMM		7702956020158	60	1.620	758	18"/ 457	3



► Machete 1778

REF.	£			Pallet	g	A inches/mm	B mm
1778-18-2,4 PMM		7702956020165	60	1.620	614	18"/ 457	2,4
1778-22-2,4 PMM		7702956006978	60	1.620	685	22"/ 559	2,4



► Machete 368

REF.	£			Pallet	g	A inches/mm	B mm
368-16-3 PMM		7702956019930	60	1.620	565	16"/406	2,4



► Machete 448

REF.	£	 8 41 4299	 Pallet	g	A inches/mm	B mm	
448-21-3 PMM		7702956020172	60	1.620	792	21"/533	3



► Machete 244

REF.	£	 8 41 4299	 Pallet	g	A inches/mm	B mm	
244-18-3 PMM		7702956020141	60	1.560	677	18"/457	3



► Machete 410

REF.	£	 8 41 4299	 Pallet	g	A inches/mm	B mm	
410-19,5-3 PMM		7702956020189	60	1.620	570	19,5"/ 495	3



► Machete 1055

REF.	£	 8 41 4299	 Pallet	g	A inches/mm	B mm	
1055-22-3 PPN		7702956019916	60	1.620	510	22"/ 559	3



► Machete 741

REF.	£	 8 41 4299	 Pallet	g	A inches/mm	B mm	
741-18-3 PMM		7702956020196	60	1.560	710	18"/ 457	3



► Machete W550

REF.	£	 8 41 4299	Pallet	g	A inches/mm	B mm	
W550-22-3 PMM		7702956020202	60	1.620	583	22"/ 559	3



► Machete 638

REF.	£	 8 41 4299	Pallet	g	A inches/mm	B mm	
638-16-3 PMM		7702956019954	60	1.620	575	16"/ 406	3



► Machete 1779

REF.	£	 8 41 4299	Pallet	g	A inches/mm	B mm	
1779-22-2,4 PMM		7702956007241	60	1.620	635	22"/ 559	2,4



► Machete 31B

REF.	£	 8 41 4299	 Pallet	g	A inches/mm	B mm	
31B-14-2 PPN		7702956020219	60	1.620	340	14"/ 356	2
31B-16-2 PPN		7702956020226	60	1.620	370	16"/ 406	2
31B-18-2 PPN		7702956020233	60	1.620	395	18"/ 457	2
31B-20-2 PPN	11,78	968002	12	576	450	20"/ 508	2
31B-22-2 PPN		7702956020257	60	1.620	470	22"/ 559	2



► Machete 31W

REF.	£			Pallet	g	A inches/mm	B mm
31W-14-2 PMM		7702956020264	60	1.620	366	14"/ 356	2
31W-16-2 PMM		7702956020271	60	1.620	385	16"/ 406	2
31W-18-2 PMM		7702956020288	60	1.620	436	18"/ 457	2
31W-20-2 PMM		7702956020295	60	1.620	485	20"/ 508	2
31W-22-2 PMM		7702956009702	60	1.620	495	22"/ 559	2



► Machete 127H

REF.	£	 8 41 4299		Pallet	g	A inches/mm	B mm
127H-16-2 PPN		7702956020301	60	1.620	365	16"/ 406	2
127H-18-2 PPN		7702956020318	60	1.620	408	18"/ 457	2
127H-20-2 PPN		7702956020325	60	1.620	433	20"/ 508	2
127H-22-2 PPN		7702956020332	60	1.620	463	22"/ 559	2
127H-24-2 PPN		7702956020349	60	1.620	495	24"/ 610	2



► **Machete 2127H**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
2127H-16-2 PBM		7702956020356	60	1.620	373 16"/ 406	2
2127H-18-2 PBM		7702956020363	60	1.620	420 18"/ 457	2
2127H-20-2 PBM		7702956020370	60	1.620	450 20"/ 508	2
2127H-22-2 PBM		7702956020387	60	1.620	470 22"/ 559	2
2127H-24-2 PBM		7702956020394	60	1.620	510 24"/ 610	2



► **Machete 127F**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
127F-16-2 PPN		7702956020400	60	1.620	365 16"/ 406	2
127F-18-2 PPN		7702956020417	60	1.620	408 18"/ 457	2
127F-20-2 PPN		7702956020424	60	1.620	433 20"/ 508	2
127F-22-2 PPN		7702956020431	60	1.620	463 22"/ 559	2
127F-24-2 PPN		7702956020448	60	1.620	495 24"/ 610	2



► **Machete 2127F**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
2127F-16-2 PBM		7702956020455	60	1.620	373 16"/ 406	2
2127F-18-2 PBM		7702956020462	60	1.620	420 18"/ 457	2
2127F-20-2 PBM		7702956020479	60	1.620	450 20"/ 508	2
2127F-22-2 PBM		7702956020486	60	1.620	470 22"/ 559	2
2127F-24-2 PBM		7702956020493	60	1.620	510 24"/ 610	2



► **Machete 460**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
460-16-2 PPN		7702956020509	60	1.620	370 16"/ 406	2
460-18-2 PPN		7702956020516	60	1.620	395 18"/ 457	2
460-20-2 PPN		7702956020523	60	1.620	440 20"/ 508	2
460-22-2 PPN		7702956020530	60	1.620	470 22"/ 559	2
460-24-2 PPN		7702956020547	60	1.620	500 24"/ 610	2



► **Machete 2460**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
2460-16-2 PBM		7702956020554	60	1.620	370 16"/ 406	2
2460-18-2 PBM		7702956020561	60	1.620	410 18"/ 457	2
2460-20-2 PBM		7702956020578	60	1.620	425 20"/ 508	2
2460-22-2 PBM		7702956020585	60	1.620	460 22"/ 559	2
2460-24-2 PBM		7702956020592	60	1.620	480 24"/ 610	2



► **Machete 128F**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
128F-18-2 PPN		7702956020608	60	1.620	395 18"/ 457	2
128F-20-2 PPN		7702956020615	60	1.620	444 20"/ 508	2
128F-22-2 PPN		7702956020622	60	1.620	470 22"/ 559	2
128F-24-2 PPN		7702956020639	60	1.620	500 24"/ 610	2



► **Machete 2128F**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
2128F-18-2 PPN		7702956020646	60	1.620	401 18"/ 457	2
2128F-20-2 PPN		7702956020653	60	1.620	450 20"/ 508	2
2128F-22-2 PPN		7702956020660	60	1.620	477 22"/ 559	2
2128F-24-2 PPN		7702956020677	60	1.620	507 24"/ 610	2



► **Machete 32L**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
32L-16-3 PMM		7702956009764	60	1.620	492 16"/ 406	3
32L-18-3 PMM		7702956009795	60	1.620	553 18"/ 457	3
32L-20-3 PMM		7702956009825	60	1.620	594 20"/ 508	3
32L-22-3 PMM		7702956009856	60	1.620	649 22"/ 559	3
32L-24-3 PMM		7702956009887	60	1.620	747 24"/ 610	3



► **Machete 350**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
* 350-14-2 PMM	14,03	200478	12	864	490 14"/ 356	2
* 350-16-2 PMM	14,03	200546	12	540	518 16"/ 406	2
350-18-2 PMM		7702956020707	60	1.620	555 18"/ 457	2
* 350-20-2 PMM	14,03	200614	12	576	550 20"/ 508	2
350-22-2 PMM		7702956020721	60	1.620	595 22"/ 559	2



► **Machete 1002**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
1002-14-1,8 PMM		7702956020738	60	1.620	592 14"/ 356	1,8



► **Machete 1004**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
1004-14-1,8 PMM		7702956020745	60	1.620	612 14"/ 356	1,8



► **Machete 1020**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
1020-11-1,3 PMM		7702956020752	60	1.620	494 14"/ 356	1,3



► **Machete 1060**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
1060-11-1,3 PMM		7702956020769	60	1.620	613 11"/ 279	1,3



► **Machete 781**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
781-26-2 NMM		7702956015079	60	1.620	469 26"/ 660	2



► **Machete 5813**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
5813-1,6 NMM		7702956020776	100	2.700	172 6"/ 152	1,6



► **Machete 465**

REF.	£	8 41 4299	Pallet	g	A inches/mm	B mm
* 465-12 PBMA	23,76	620139	12	250	12"/ 304	1,8




Sickles

- Manufactured with special Bellota steel.
- Laminated blades, conical blades for improved easy cutting.
- Two blades models.
 - Serrated sickles: pitted on one side, ground on the other and induction tempered.
 - Edging sickles: ground on both sides and fully tempered.
- With edge guard for greater safety.
- Wooden handles, light and comfortable touch with ferrule handle and blade mounting.

Uses:

- For mowing with one hand in confined or difficult spaces. For cutting grass and undergrowth.



Serrated Sickle 2550

REF.	£			g	A mm	B mm
2550-000 N	7,03	159899	6	178	370	22
2550-00 N	7,16	159905	6	185	394	22
2550-0 N	7,55	159912	6	193	421	22
2550-1 N	7,81	159929	6	202	437	22
2550-2 N	7,98	159936	6	212	477	22



Serrated Sickle 2551

REF.	£			g	A mm	B mm
2551	7,85	158588	6	210	470	22



Serrated Sickle 2552

REF.	£			g	A mm	B mm
2552	7,85	158595	6	210	415	22



Edging Sickle 2560

REF.	£			g	A mm	B mm
2560-0	13,46	158601	6	260	400	39
2560-1	13,98	158618	6	280	445	41
2560-2	14,67	158625	6	320	480	43
2560-3	15,40	159943	6	370	510	45



Edging Sickle 2561

REF.	£			g	A mm	B mm
2561	16,78	158632	6	500	515	48



Edging Sickle 2562

REF.	£			g	A mm	B mm
2562	12,99	158649	6	240	440	36



Edging Sickle 2563

REF.	£			g	A mm	B mm
2563	15,36	158656	6	235	440	36




Scythes

- Manufactured with special Bellota steel.
- Tempered and perfectly tensioned for maximum cutting.
- Special sharpening of edge to ensure uniform blade thickness.
- With edge protection for greater safety.

Uses:

- For general mowing. Especially designed for confined or difficult spaces.



Scythe 2503

REF.	£			g	A mm
2503-20	46,42	116700	6	600	510
2503-22	49,14	116809	6	625	560
2503-24	50,99	116908	6	650	610
2503-26	54,14	117004	6	800	660




Scythe 2506

REF.	£			g	A mm
2506-20	49,83	117707	6	700	510
2506-22	52,07	117806	6	750	560
2506-24	54,92	117905	6	800	610
2506-26	57,72	118001	6	850	660



Scythe 2509


REF.	£			g	A mm
2509-22	46,29	118308	6	500	560
2509-24	48,14	118407	6	540	610
2509-26	50,39	118506	6	560	660
2509-28	53,23	118605	6	600	710



Hammer for Scythes 1071

REF.	£			g	A mm	B mm
1071	21,79	116205	6	665	130	25

For scythes sharpening and shaping, together with the hammer in order to ensure a good finishing.



Anvil for Scythes 1051

REF.	£			g	A mm
1051	38,48	115703	12	1.575	400

For scythes sharpening and shaping, together with the hammer in order to ensure a good finishing.




CUTTING PRUNING TOOLS

Bill hooks

- Manufactured with special Bellota steel.
- 3+ steel treatment for a longer tool life: doesn't break, warp or wear away.
- Precision sharpening for clean and uniform cut.

- Uses:**
- For cutting weeds and brambles.
 - For deep pruning and cleaning of branches.
 - For cleaning palm trees.



► Bill Hook 1111

REF.	£	8 41 4299	12	g	A mm	B mm	M
1111-A	46,03	116403	12	870	400	70	M5604L



► Bill Hook 1116

REF.	£	8 41 4299	12	g	A mm	B mm	M
1116	61,17	116502	12	825	360	60	M5604L



► Bill Hook 1118

REF.	£	8 41 4299	12	g	A mm	B mm	M
1118-A	34,21	116601	12	800	300	140	M5604L



SPRAYERS

Professional range sprayer

- Perforation free tank with a wider thread to avoid possible leakages.
- High performance: the bottle design reduces the amount of pumping.
- High-quality nozzle for an even spray. Adjustable jet cone.
- Maximum comfort, with adjustable cushioned straps.
- Operating pressure of 1-3 bar.
- Arm length: 60 cm. Hose length: 120 cm.

- Uses:**
- For farming and gardening fertilisation and fumigation.
 - For different applications in industry and construction.



► 16L and 12 L Sprayer 3710

REF.	£	8 41 4299	1	g	A mm	B mm
3710-16	34,55	604993	1	3.400	610	420
3710-12	32,96	443578	1	3.200	610	420

Adjustable nozzle included.



► 10L Sprayer 3710

REF.	£	8 41 4299	1	g	A mm	B mm
3710-10	29,68	606751	1	3.200	570	200

PARTS FOR PROFESSIONAL RANGE SPRAYERS



REF.	£	8 41 4299	1		
R3710-1	5,31	606652	1	Arm and jet	3710-10, 3710-12, 3710-16
R3710-2	3,62	606669	1	Handle	3710-10, 3710-12, 3710-16
R3710-3	6,51	606676	1	Hose	3710-10, 3710-12, 3710-16
R3710-4	2,67	606683	1	12 and 16 litre pump	3710-12, 3710-16
R3710-5	2,09	606690	1	Miscellaneous 12 and 16 litres Rod, rings	3710-12, 3710-16
R3710-6	6,04	606706	1	Air chamber 16 Litres	3710-16
R3710-7	5,78	606713	1	Air chamber 12 Litres	3710-12
R3710-8	4,14	606720	1	10 Litre pump	3710-10
R3710-9	3,41	606737	1	10 Litre pump bar	3710-10
R3710-10	2,33	606744	1	Miscellaneous 10 Litres Rod, diaphragm, ring, spring	3710-10



SPRAYERS

Garden range sprayer

- Strap handles for continuous effortless spraying.
- Adjustable nozzle for fine spraying up to a longdistance jet.
- Easy maintenance and cleaning.

- Uses:
- For plants watering , protecting roses, flowers and vegetables.
 - For eliminating weeds and moss on garden furniture, swings, etc.



► 1L Garden Sprayer 3110-01

REF.	£			g	A mm	B mm
3110-01	5,78	567748	6	280	270	180

Appealing six units display tray.



► 1,5L Garden Sprayer 3700-015

REF.	£			g	A mm	B mm
3700-015	10,11	460117	1	350	270	180



► 5L Garden Sprayer 3110-05

REF.	£			g	A mm	B mm
3110-05	16,91	567786	1	1.400	400	200

Hight performance pump. Security pressure pump. Tank with funnel: easy ans rapid splash free filling.



GARDEN ACCESSORIES

Lubricants

- Optimised blends for improved machinery performance.

- Uses:
- Grease for parts and engines.



► Lithium Grease 3662

REF.	£			g
3660	6,30	299397	25	938



► Lubircant for Engines 3661 2T

REF.	£			g
3661-2T	8,41	299519	25	942



► Lubircant for Engines 3661 4T

REF.	£			g
3661-4T	8,58	299595	25	942



► Multiuse Lubricant 6660

REF.	£			ml
6660	4,53	299458	24	270



► Multiuse Lubricant 6661

REF.	£			ml
6661	5,13	299762	24	270



► Multiuse Lubricant 6662

REF.	£			ml
6662	7,20	299854	12	400



► Multipurpose Lithium Grease 6663

REF.	£			ml
6663	4,23	299915	24	150



► Lithium Grease 3662

REF.	£			g
3662-1	9,45	605877	10	1.000
3662-5	30,72	299717	4	5.000





Gloves

- Innovative materials and comfortable designs suitable for each task.
- Different textures, maximum sensitivity and protection.

Uses:

- For main gardening tasks: transplanting, pruning, maintenance watering, fumigation.



► Confort Glove 75101

REF.	£	8 41 4299		g	MBox
75101-7/S	3,73	534344	10	50	120
75101- 8/M	3,73	533989	10	50	120
75101- 9/L	3,73	534009	10	50	120

100% Nylon. Nitrile coating on palm. Elastic wristband. For transplanting and garden maintenance tasks.



► Hydro Glove 75103

REF.	£	8 41 4299		g	MBox
75103-8/M	3,07	534085	10	75	100

Green Nitrile. 0,38mm imitation velvet inside. Total length 33 cm. For transplanting and gardening tasks in wet conditions.



► 4x4 Glove 75105

REF.	£	8 41 4299		g	MBox
75105-8/M	4,61	534207	10	125	120
75105-9/L	4,61	534221	10	130	120
75105-10/XL	4,61	534245	10	135	120

Grey cow leather. Grey suede back. For pruning and gardenind task purpose.



► Grip Glove 75102

REF.	£	8 41 4299		g	MBox
75102-8/M	3,97	534023	10	65	120
75102-9/L	3,97	534047	10	65	120
75102-10/XL	3,97	534061	10	65	120

100% Nylon. Ribbed latex covering on palm. Elastic wristband. For transplanting and garden maintenance tasks.



► Universal Glove 75104

REF.	£	8 41 4299		g	MBox
75104-7/S	3,97	534122	10	80	120
75104-8/M	3,97	534146	10	80	120
75104-9/L	3,97	534160	10	80	120
75104-10/XL	3,97	534184	10	80	120

Grey goat leather, thickness: 0,7 - 0,9 mm. Cotton back, winged thumb, Elastic wrist. For gardening maintenance purpose.



► Protect Glove 75106

REF.	£	8 41 4299		g	MBox
75106-8/M	6,41	534269	10	115	60
75106-9/L	6,41	534283	10	135	60
75106-10/XL	6,41	534306	10	155	60

Grey goat leather. Green cotton back. Winged thumb. Extralong sleeve in green sailcloth with top adjustment. Pruning trees, bushes and thorny plants.




Growing table

- Galvanised steel construction, rust and damage protection.
- Mounting is very easy: no more than 20 min.
- Drainage system.
- Comfortable tray/shelf for tools.
- Includes a complete gardening tools kit: Short handle aluminium, delicate cuts pruner, garden complement.

Uses:

- To grow your own vegetables in an ecological, simple and economic way.



► Growing Table 3820

REF.	£	8 41 4299	A	B	C
3820-100	90,11	018424	860	925	425
3820-140	105,80	373288	860	925	625
3820-150	105,02	501056	860	1.225	425
3820-200	109,43	322262	860	1.225	625